


# MVC-CD350

## CD Mavica® Digital Still Camera



### FEATURES


#### 1/2.7" 3.2 Megapixel Effective Super HAD™ CCD

 Super HAD (Hole Accumulation Diode) CCD's provide excellent image quality by allowing more light to pass to each pixel, increasing sensitivity and reducing noise.


#### Slim Profile Design

Less than 3" deep, the MVC-CD350 is the smallest CD Mavica camera ever! By placing the camera block to the side of the CD deck, the camera is slim and easy to use.


#### 3X Optical Zoom Lens

 To help frame your shots for better digital pictures. Optical Zoom helps you bring distant subjects closer & pull back for wide shots.


#### 0 - 3.2X Smart Zoom (at VGA size)

 Smart Zoom intelligently uses the full CCD to let you zoom into the portion of interest by cropping the image size—thus avoiding the image degradation of Digital Zooms.


#### 3 Area Multi-Point Auto Focus

 Evaluating 3 separate focus areas of the frame, Multi-Point AF can intelligently focus on the subject and avoid mistakenly focusing on the background.


#### AF (Auto Focus) Illuminator

 Briefly illuminating the subject in low- or no-light conditions, AF Illuminator helps establish a positive focus lock.


#### Continuous Auto Focus

 To maintain accurate focus lock with fast moving subjects, Continuous AF keeps focusing until the moment of exposure.


#### Multi-Pattern Measuring

 Independently light-metering 49 points of the frame, Multi-Pattern Measuring establishes the optimum exposure value, even in scenes where pronounced highlight and shadow are not centered in the frame.


#### Recordable CD Media

 CD Mavica cameras shoot directly to 156MB CD-R/RW discs, so there's room for hundreds of images and movie clips. The optical disc also provides "instant archiving" — there's no need to transfer to the PC as with flash media.


#### Scene Selection Mode

 With 5 Scene Modes, camera parameters can be matched to the shooting conditions. Twilight, Twilight Portrait, Landscape, Snow and Beach presets make it easy to optimize difficult shooting environments.

#### Slow Shutter Noise Reduction

 During long Twilight mode exposures, Slow Shutter NR captures the scene, and then the CCD noise pattern with a dark frame exposure. By subtracting the two, even long exposures can be clear.

#### 14-Bit DXP A/D Conversion

 Sony's 14-bit Digital EXTended Processor captures the range between highlight and shadow with up to 16,384 values, for extended dynamic contrast and detail.

#### Confirm Before Write Mode

Allows you to check each image before writing to the disc, to avoid wasting space with mistaken shots.

#### Pre-Flash Metering

With a momentary pre-flash, the camera illuminates the subject and sets exposure through the lens for accurate flash metering. Adjustable flash level & red-eye reduction insure great flash shots.


#### Auto Daylight Synchro Fill Flash

Because the Multi-Pattern Measuring system determines the subject is backlit or in shadow, fill flash automatically fires to provide optimum exposure.


#### QXGA (2048 x 1536) Image Size

With its high resolution CCD, the MVC-CD350 captures in 4 different image sizes, in TIFF mode or with Fine or Standard JPEG compression.


#### Multi-Burst Mode

 Captures 16 320x240 frames as part of a single 1280x960 image which plays back sequentially in the camera. Selectable 1/7.5, 1/15, 1/30 second frame intervals provide convenient motion analysis.


#### MPEG Movie VX Mode

 Captures VGA (640x480) high frame rate (16 fps) audio/video clips with length limited only by the capacity of the media. MPEG Movie Video Mail mode captures smaller files sizes suitable for email.


#### Clip Motion

 Capture up to 10 images and convert them to an animated GIF with 2 fps playback. By varying the interval between shots you can create animations not possible with other motion capture modes.

#### 2.5" LCD Monitor

 Extra-large LCD provides excellent viewing and playback clarity, even outdoors. For eye-level viewing, add the optional DSAC-MVC eye-level finder.

#### Playback Zoom, Trim and Resize

 During playback, magnify any portion of the image up to 5X and trim to the area of your interest. Then, save the new image as a new file in any of the image sizes available from the menu.

#### Rechargeable Infolithium® Battery

Provides reliable, long-lasting power for continuous shooting, without "memory effect". AC-L15 adaptor/ charger provides stable power for USB transfer.

# MVC-CD350

## ADDITIONAL FEATURES

2 Shot Burst Mode	Video Output (PAL/NTSC Selectable)
Adjustable Color Saturation/Contrast	4 Mode In-Camera Picture Effects
Clear Color/Clear Luminance NR	5 Step Manual Preset Focus
MPEG1 Cue, Review	
3:2 Aspect Ratio Mode	

## SPECIFICATIONS

**Imaging Device:** 1/2.7" 3.2 Megapixel Effective Super HAD™ CCD

**Recording Media:** 3" (8cm) CD-R/RW Optical Disc

**Zoom:** 3X Optical, 3.2X Smart Zoom (at VGA size), 9.6X Total

**Filter Diameter:** 37mm

**Focal Length:** 6.4 - 19.2mm

**35mm Equivalent:** 41 - 123mm

**Aperture:** f3.8 - 3.9

**Focus:** 3 Area Multi-Point AF, 5 Step Manual Preset

**Minimum Focus Distance:** 19.7" (50 cm)

**Macro Focus Distance:** 3.9" (10 cm)

**Shutter Speed:** Auto, 1/30 – 1/1000 sec, Twilight 1 sec – 1/1000

**Manual Exposure:** ±2.0 EV, 1/3 EV Steps

**Color LCD:** 2.5" 123K Pixels Low Temperature Polysilicon TFT

**Flash Modes:** Auto/Forced On/Forced Off/Slow Synchro

**Red-Eye Reduction:** On/Off

**Flash Effective Range:** 1.6 – 8.2 ft (0.5 – 2.5m)

**White Balance:** Auto, Daylight, Cloudy, Fluorescent, Incandescent, Flash

**Picture Effects:** Black & White, Solarize, Sepia, Negative Art

**ISO:** Auto, 100, 200, 400

**Scene Modes:** Twilight, Twilight Portrait, Landscape, Beach, Snow, Fireworks, Fast Shutter

**Self Timer:** Yes, 10 Seconds

**Video Output:** Yes NTSC/PAL Selectable

**Still Image Modes:** JPEG (Fine/Std.), TIFF, Burst, Email, Voice Memo

**MPEG Movie Modes:**

MPEG VX (640x480, 16fps, with audio)

MPEG Video Mail (160x112, 8 fps with audio)

**Clip Motion:** Normal (160x120), Mobile (80x72)

**Microphone/Speaker:** Yes/Yes

**USB Terminal:** Yes, Supports USB 2.0

**Battery Type/Capacity:** InfoLithium® NP-FM50 1180 mAh Rated

**Supplied Software:** Pixela™ Image Mixer Software for Sony v1.5, USB Driver SPVD-010

**OS Compatibility:** Microsoft® Windows® 98/98SE/Me/2000 Professional/XP Home/Pro; Macintosh® OS 10.1/10.2



### Still Image Mode

8cm (3") CD-R/RW Disc (156 MB)

Image Size	JPEG Fine	JPEG Standard	TIFF
2048x1536 (3MP)	81	145	11
2048x1360 (3:2)	81	145	13
1632x1224 (2MP)	131	234	12
1280x960 (1MP)	194	345	12
640x480 (VGA)	655	1284	13



### MPEG MOVIE MODE

Maximum Recording Time (minutes/seconds)

8cm (3") 156MB CD-R-RW Disc	VX Mode (640 x 480)	Mail Mode (160 x 112)
	5 min 54 sec	91 min 34 sec

### BATTERY LIFE (Approx)

Battery Fully Charged	Recording-# Shots* LCD On	Recording-Minutes* LCD On	Viewing** No. Images/Batt. Life
NP-FM50	270	135 min	

\*Under Average Conditions:

Normal Mode (JPEG), Picture quality Fine; Shooting each image at 30 second intervals; Zoom is alternated from Wide to Telephoto ends; Flash operated every other shot; Power is turned on/off after every 10 shots; Actual results may vary on conditions of use.

\*\*Viewing single images consecutively, at about 3 second interval.

**Supplied Accessories:** NP-FM50 InfoLithium® Rechargeable Battery, AC-L15 AC Adaptor/In-camera Charger, A/V and USB Cables, Shoulder Strap, Lens Cap, MCR-156A CD-R Media, MCRW-156A CD-RW Media; Software CD-ROM

**Dimensions (W/H/D):** 5 3/16" x 3 5/8" x 2 7/8" (131.7 x 92.3 x 73.8mm)

**Weight:** 1 lb 2 oz (522g) (w/Battery, CD-R/RW, Strap)

## OPTIONAL ACCESSORIES

DSAC-MVC Clip-on Eye-level Finder/Magnifier	VF-37NK Neutral Density Filter Kit
ACC-MVCD2 Starter Kit (LCS-MVC4, NP-FM50, MCRW-156A x3)	MCR-156A 8cm (3") CD-R Media (5 pk)
ACC-FMV50S Stamina Value Kit (LCS-VA3, NP-FM50)	5MCR-156A 8cm (3") CD-R Media (5 pk)
NP-FM50 InfoLithium® Battery	10MCR-156A 8cm (3") CD-R Media (10 pk)
AC-SQ950D AC/DC AC Adaptor/Quick Charger	MCRW-156A 8cm (3") CD-RW Media (3 pk)
LCS-MVCA Deluxe Soft Carrying Case	3MCRW-156A 8cm (3") CD-RW Media (3 pk)
VCL-HG0737X Hi-grade Wide Angle Conversion Lens	VMC-14UMB Replacement USB Cable
VCL-HG1737X Hi-grade Telephoto Conversion Lens	VCT-MTK Travel Tripod
VF-37CPKS Polarizing Filter Kit	VCT-R640 Lightweight Tripod

# SONY

Sony Electronics Inc.  
16765 West Bernardo Drive  
San Diego, Ca 92127  
www.sony.com/di

©2003 Sony Electronics Inc.

Reproduction in whole or in part without written permission is prohibited. All rights reserved.

Sony, InfoLithium, Mavica, the Memory Stick logo, and Super HAD are trademarks of Sony. Microsoft and Windows are trademarks of Microsoft Corporation. Macintosh is a trademark of Apple Computer, Inc. All other trademarks are property of their respective owners. Features and specifications subject to change without notice. Non-metric weights and measures are approximate.